

09754572
Michael J. Simitoski
Michael.Simitoski@uspto.gov
(703) 305-8191

Google

"hardware ID"
copyright (limit OR limited) copies

ACM

encryption +key id identification counter copies

IEEE

encryption <and> (key <or> identification) <and> (counter <or> copies)

Applications/Patents from Inventor Search

6,466,861

L Number	Hits	Search Text	DB	Time stamp
-	1	("6466861").PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT	2004/05/25 13:26
-	abs. 27	("5345382" "5396422" "5400018" "5408412" "5414626" "5426585" "5459660" "5479347" "5481906" "5491418" "5491631" "5541840" "5555171" "5557268" "5737711" "5769051" "5781871" "5790965" "5798647" "5803043" "5835871" "5850209" "5884202" "6009372" "6081770" "6304814" "6351703").PN.		2004/05/25 13:18
-	0	6466861.URPN.	USPAT	2004/05/25 13:18
-	145	(software adj3 (id identification)) and (hardware adj3 (id identification)) and (transfer\$5 transmit\$5 download\$3 updat\$3 upgrad\$3 install\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 14:55
-	abs. + 27	(software adj3 (id identification)) same (hardware adj3 (id identification)) same (function hash\$3 concatenat\$3 combin\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 14:56
-	abs. + 33	((software adj3 (id identification)) and (hardware adj3 (id identification)) and (transfer\$5 transmit\$5 download\$3 updat\$3 upgrad\$3 install\$5)) and 713/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 15:08
-	abs. + 14	((software adj3 (id identification)) and (hardware adj3 (id identification)) and (transfer\$5 transmit\$5 download\$3 updat\$3 upgrad\$3 install\$5)) and 713/\$.ccls.) and @ad<20010104	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/25 15:08
-	1	("6009372").PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 08:21
-	1	("20020087891").PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 08:27
-	abs. 41	@ad<20010104 and (download\$3 same software) and (authoriz\$5 same software) and (hardware near3 (id identification))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 13:32
-	abs. 47	@ad<20010104 and (download\$3 same software) and (authoriz\$5 same software) and (hardware near3 (id identification (serial adj number) (SIM)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 13:36
-	abs. + 22	@ad<20010104 and (download\$3 same software) and (authoriz\$5 same (transfer\$4 copy\$3 download\$3) same software) and (hardware near3 (id identification (serial adj number) (SIM)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 13:44
-	3318	@ad<20010104 and (authoriz\$5 same (upgrad\$3 updat\$3 firmware))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 13:44
-	3197	@ad<20010104 and (authoriz\$5 same (upgrad\$3 updat\$3))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 13:45
-	abs. 53	@ad<20010104 and (authoriz\$5 same (upgrad\$3 updat\$3)) and (hardware near2 (serial id identification))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 13:48
-	abs. + 29	@ad<20010104 and (authoriz\$5 same receiv\$3 same (upgrad\$3 updat\$3)) and (hardware near2 (serial id identification))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 14:03

-	127	@ad<20010104 and (717/173.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 14:49
-	abs. + Kwlc 36	(@ad<20010104 and (717/173.ccls.) and (serial (hardware adj4 (id identification)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 14:03
-	abs. + Kwlc 8	(@ad<20010104 and (717/173.ccls.) and ((serial adj3 number) (hardware adj4 (id identification)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 14:04
-	abs. 42	@ad<20010104 and (717/172.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:37
-	1529	cummins.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:07
-	abs. 18	cummins.as. and (password)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:09
-	abs. 23	("4998205" "5303163" "5365436" "5398336" "5400018" "5408412" "5442553" "5509123" "5548756" "5619412" "5623605" "5710883" "5732074" "5999740" "6154658" "6169897" "6181994" "6199099" "6202023" "6208948" "6246688" "6263268" "6263497").PN. 1 ("6009401").PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:08
-	88	(705/56).CCLS.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:37
-	title scanned 77	@ad<20010104 and (705/56.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 15:39
-	12	(@ad<20010104 and (705/56.ccls.)) and download	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 16:09
-	1740	newell.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 16:09
-	0	newell.in. and laufer.xp.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 16:10
-	2	newell.in. and laufer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 07:22
-	524	authenticat\$3 near3 (download\$3 upgrad\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 16:14
-	466	authenticat\$3 near3 (download\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 16:14
-	171	(authenticat\$3 near3 (download\$3)) and @ad<20010104	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/26 16:15

-	2	((("5398285") or ("6009372")).PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT	2004/05/27 08:09
-	18	5398285.URPN.	USPAT	2004/05/27 07:27
-	835	@ad<20010104 and (((device hardware) near3 (id identification "serial number"))) ((device hardware) near (specific))) and (download) and (authoriz\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 08:17
-	685	@ad<20010104 and (((device hardware) near3 (id identification "serial number"))) ((device hardware) adj (specific))) and (download) and (authoriz\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 08:17
-	1003	@ad<20010104 and (((device hardware) near3 (id identification "serial number"))) ((device hardware) adj (specific))) and (download\$3) and (authoriz\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 08:17
-	233	@ad<20010104 and (((device hardware) near3 (id identification "serial number"))) ((device hardware) adj (specific))) and (download\$3) and (authoriz\$5) and vehicle	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 08:18
-	47	@ad<20010104 and (((device hardware) near3 (id identification "serial number"))) ((device hardware) adj (specific))) and (download\$3 near3 (program software calibration)) and (authoriz\$5) and vehicle	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 08:18
-	13	@ad<20010104 and (((device hardware) near3 (id identification "serial number"))) ((device hardware) adj (specific))) and ((download\$3 near3 (program software calibration)) same (updat\$3 upgrad\$3)) and (authoriz\$5) and vehicle	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 08:21
-	846	@ad<20010104 and (vehicle combustion automobile) and ((updat\$3 upgrad\$3) near3 software)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 08:22
-	284	@ad<20010104 and (vehicle combustion automobile) and ((updat\$3 upgrad\$3) near3 software) and embedded	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 08:22
-	113	(@ad<20010104 and (vehicle combustion automobile) and ((updat\$3 upgrad\$3) near3 software) and embedded) and password	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 08:22
-	81	((@ad<20010104 and (vehicle combustion automobile) and ((updat\$3 upgrad\$3) near3 software) and embedded) and password) and (authoriz\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 08:25
-	2374	@ad<20010104 and ((receiv\$3 download\$3) same (software) same (updat\$3 upgrad\$3)) and (serial usb)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 08:26
-	94	@ad<20010104 and ((receiv\$3 download\$3) same (software) same (updat\$3 upgrad\$3) same password)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 08:26
-	16	@ad<20010104 and ((receiv\$3 download\$3) same (software) same (updat\$3 upgrad\$3) same password same identification)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 09:18
-	9	("4796220" "5182770" "5287408" "5341429" "5509070" "5564038" "5579479" "5652793" "5842124").PN.	USPAT	2004/05/27 08:29
-	10	6044471.URPN.	USPAT	2004/05/27 08:30

-	2	((("6135887") or ("5759102"))).PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 15:54
-	1	("6219836").PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 09:24
-	106	international-game-technology.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 09:25
-	2	international-game-technology.as. and (download.ti.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 09:25
-	0	((("6009372").PN.) and (technician)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 10:17
-	1	((("20020087891").PN.) and ("software transferring"))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 14:00
-	276	711/164.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 14:01
-	209	711/164.ccls. and @ad<20010104	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 15:23
-	<i>abs.</i> 20	((711/164.ccls. and @ad<20010104) and (id identification "serial number")) and (authoriz\$5 same (distribut\$3 transfer\$4 send\$3))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 14:02
-	107	(711/164.ccls. and @ad<20010104) and (id identification "serial number")	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 14:07
-	<i>title</i> 85	(711/164.ccls. and @ad<20010104) and (713/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 14:08
-	<i>abs.</i> 18	5398285.URPN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 14:49
-	265	@ad<20010104 and (((disk disc) adj drive) same password)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 15:54
-	<i>abs.</i> 66	@ad<20010104 and (((disk disc) adj drive) same password) and (authorized adj user)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 15:48
-	1294	@ad<20010104 and (number adj3 authorized)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 15:48
-	<i>abs.</i> <i>+ kw</i> 36	@ad<20010104 and (number adj3 authorized) near (copies downloads)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 15:50
-	2	@ad<20010104 and ((number adj3 authorized) near (copies downloads) same key)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 15:50
-	2344	@ad<20010104 and ((number) near (copies downloads) same key)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 15:51

-	607	@ad<20010104 and ((key password) same (function based) same (number near3 (downloads copies)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 15:55
-	225	@ad<20010104 and (((key password) near3 (function based)) same ((number near3 (downloads copies))))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 15:58
-	abs. (40)	@ad<20010104 and (((key password) near3 (function based)) near3 ((number near3 (downloads copies))))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 15:59
-	abs. + kwlc (8)	@ad<20010104 and (((key password) near3 (function based)) same ((number near3 (downloads copies)))) and (713/\$.ccls. 380/\$.ccls)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/27 16:02
-	1	(713/\$.ccls. 380/\$.ccls) and (@ad<20010104) and (copyright? priacy) and (number? adj copies)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/28 07:12
-	589	copyright and ((copy\$3 copies) near4 counter)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/28 07:12
-	542	(copyright and ((copy\$3 copies) near4 counter)) and @ad<20010104	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/28 07:12
-	130	((copyright and ((copy\$3 copies) near4 counter)) and @ad<20010104) and key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/28 07:12
-	abs. + kwlc (27)	((copyright and ((copy\$3 copies) near4 counter)) and @ad<20010104) and key) and (encrypt\$3 encod\$3 encipher\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/28 07:19
-	1671	@ad<20010104 and ((password? key?) same (counter? (number adj copies)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/28 07:20
-	1059	@ad<20010104 and ((password? key?) with (counter? (number adj copies)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/28 07:20
-	abs. (150)	@ad<20010104 and ((password? key?) same function? same (counter? (number adj copies)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/28 07:20
-	abs. + kwlc (19)	@ad<20010104 and ((password? key?) with function? with (counter? (number adj copies)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/28 07:21
-	0	@ad<20010104 and ((password? key?) near4 function? near4 (counter? (number adj copies)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/28 07:21
-	566	@ad<20010104 and ((password? key?) near4 (counter? (number adj copies)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/28 07:22
-	186	@ad<20010104 and ((password? key?) near2 (counter? (number adj copies)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/28 07:22
-	abs. + kwlc (36)	@ad<20010104 and ((key?) near2 (counter? (number adj copies))) and (encrypt\$3 encod\$3 encipher\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/28 07:22